



PRODUCT CATALOG 2023



TABLE OF CONTENTS

POWER[€] LINE UP

The Power of EGO	04	
EGO POWER+ Batteries & Chargers	06	
EGO POWER+ Mowers	12	
EGO POWER+ String Trimmers	20	
EGO POWER+ Blowers	24	
EGO POWER+ Backpack Blowers	28	
EGO POWER+ Multi-Head System	30	
EGO POWER+ Chain Saws	34	
EGO POWER+ Pole Saw	36	
EGO POWER+ Hedge Trimmers	38	
EGO POWER+ Lifestyle	40	
EGO POWER+ Snow Blowers	42	
EGO POWER+ Accessories	48	
EGO POWER+ Portable Power	52	

POWER[®]COMMERCIAL SERIES

Power for Pros	54
EGO POWER+ Backpack Battery	60
EGO POWER+ Commercial String Trimmer	62
EGO POWER+ Commercial Hedge Trimmer	64
EGO POWER+ Commercial Top Handle Saw	66
EGO POWER+ Commercial Blower	68
EGO POWER+ Commercial Telescopic Pole System	70



THERE'S ONLY ONE #1 RATED BRAND

EGO is the #1 rated brand in cordless outdoor power and the undisputed leader in cutting-edge technology and design. Every tool in our platform delivers or exceeds the power of gas—without the noise, fuss, or fumes. Our patented ARC Lithium[™] technology makes the EGO POWER+ platform the most advanced in the industry and universally compatible with all 70+ in the growing EGO POWER+ platform and packed with power for unrivaled performance and long run times. In every season, for any outdoor challenge, count on EGO tools to deliver the power, performance, and innovation you need.

#1 RATED BRAND

EGO is the #1 rated brand in cordless outdoor power according to industry experts and purchasers based on power, performance, durability, and value.

POWER AND PERFORMANCE OF GAS

All EGO tools deliver or exceeds the power and performance of gas—without the noise, fuss, or fumes—guaranteeing maximum power, longer run times, and industry-leading recharge times.

INDUSTRY'S MOST ADVANCED TECHNOLOGY

Our patented ARC Lithium[™] technology is the most advanced in the OPE industry with its shock-resistant design, intelligent power management, ARC Lithium[™] design, and keep-cool cell technology.

INNOVATION

No matter which EGO tool you use, you can expect groundbreaking innovation that solves for pain points, such as such as world's first LINE IQ™ Technology, World's first platform-compatible ZTR and world's first auto tensioning technology.



POWER OF GAS NO NOISE, FUSS, OR FUMES **ERGONOMIC DESIGN DURABLE BUIL PLATFORM COMPATIBILI** RELIABLE OPERATION **FASTER CHARGING** VIiFR POWER

EGO POWER⁺ VS GAS | **05**



THE MOST ADVANCED TECHNOLOGY IN THE INDUSTRY

Dur patented 56V ARC Lithium[™] technology is the most advanced in the industry. Unlike other battery packs—which are shaped like bricks and retain heat—ours follows a patented "arc" design to prevent overheating and push heat away. The sealed, shock-resistant design protects batteries from drops and the elements—guaranteeing the highest level of performance and durability. Inside, we developed the most advanced software-management system to maximize power and run time. Our proprietary Keep Cool[™] cell technology works with each battery cell to maintain long-lasting power and unmatched performance. With the industry's most advanced battery technology, every tool delivers or exceeds the power and performance of gas without the noise, fuss, or fumes.

BETTER PERFORMANCE IS BUILT IN

No matter which EGO battery you choose, you'll get:

- Protection from drops and the elements, thanks to our shock-resistant design
- Our patented power management system to maximize power and runtime
- Revolutionary phase-change material that keeps cells running cool
- An integrated fuel gauge that shows you how much power is left

• A three-year limited warranty*

*Up to 5 depending on model. See egopowerplus.com for details.

ARC ITHIUM 56V

WHAT MAKES **EGO SUPERIOR? INDUSTRY'S MOST** TFCHNN

BATTERY EXPERTISE Over 25 years' experience in developing best-in-class

batteries in-house

SHOCK-RESISTANT DESIGN EGO's sealed and shock-resistant design protects batteries from drops and the elementsguaranteeing the highest level of performance and durability.

56V BATTERIES

DELIVER MORE

USABLE POWER

RAT

HANNHFIN

INTELLIGENT POWER MANAGEMENT EGO's intelligent power management monitors and optimizes each individual battery cell to maximize

power, performance, and run time.

56V ARC LITHIUM™ EGO's ARC Lithium™ design keeps the battery from overheating and your equipment running longer at full power.

*

KEEP-COOL CELL TECHNOLOGY Each cell of the EGO POWER+ battery is surrounded by revolutionary phase-changing material that pushes heat away.

*only for 2.5Ah, 4.0Ah and 5.0Ah batteries

5000 4500 4000 3500 80V 3000 2500 60V 120V 2000 40V LARGEST CAPACITY BATTERIES 1500 18V 1000 500 N 150 200 250 300 350 400 450 500 550 600 WATT HOURS (WH) ENERGY

BATTERY PERFORMANCE OF CORDLESS PLATFORMS

EGO POWER⁺ BATTERIES & CHARGERS 07





NOT ALL VOLTS **ARE CREATED EQUAL**

VOLTAGE # PERFORMANCE

Performance of a battery is determined by a combination of ENERGY(Wh) and POWER(W)

CAPACITY x VOLTAGE = ENERGY (V) (Ah) (Wh)

VOLTAGE x CURRENT = POWER (V) (A)

(W)

FROM EMPTY TO FULLY CHARGED, IN JUST 30 MIN

With a range of battery sizes available from 2.5Ah to 12Ah, you can choose the power you need. When it's time to recharge, the EGO POWER+ Turbo Charger is among the fastest on the market. The intelligent battery control system constantly monitors each cell's charge and temperature to deliver the most efficient and quickest charge.

Plus, the fan-cooling system allows the battery to start charging sooner and finish faster. As a result, the time it takes to refuel the battery is often less than the run time you get from a full charge. So you'll always have a battery ready for all-day power and run time.



3 years

3 years

3 years

3 years

3 years

 Integrated LED **Charging Indicator**

WARRANTY

5 years

POWER+ INEUP 2028



EGO

EGO

EGO







Z6 POWER LIKE NO OTHER

	ZT4204L	ZT4205S	ZT5207L
HP	22 HP	22 HP	25 HP
WATTS/WH	17,920/2,240 WH	13,440/2,688 WH	20,000/4032 WH
CUT AREA	Up to 2 acres	Up to 2.5 acres	Up to 4 acres
KEY FEATURE	42" stamped deck, lap bar steering, 100% Power+	42" stamped deck with e-STEER™ steering, 100% Power+	52" fabricated deck with lap bar steering, 100% Power+
WHAT'S INCLUDED	(4) 10Ah batteries 1600W charger	(4) 12Ah batteries 1600W charger	(6) 12Ah batteries 1600W charger

The EGO Power+ Z6 Zero Turn Riding Mower is a ZTR like nothing else out there. Featuring Peak Power™+ technology, it's powered by up to 6 EGO 56V ARC Lithium[™] Batteries—the same battery technology powering all EGO products, making it the world's first platform compatible rider. Delivering 22 to 25 horsepower-equivalent to a gas engine-and reaching a top speed of 8 MPH, the Z6 covers up to 2 acres (ZT42O4L), 2.5 acres (ZT42O4S), or 4 acres (ZT5207L) on a single charge. It's fully expandable—add more batteries to cut as many acres as needed! The Industry's Fastest Charger fully charges 40Ah in just 2 hours, 4x faster than competitors. Independent brushless motors deliver the power and performance of gas. Adjustable seat suspension delivers a comfortable mowing experience. Customize the ride with an LCD interface featuring 3 driving modes–Control, Standard, and Sport–that can be accessed with the simple touch of a finger. Premium features like LED lights, a USB charging port, and Bluetooth come standard to make the experience unlike any other ZTR on the market. Experience zero-turn mowing like never before with the EGO Z6 Power+ Zero Turn Riding Mowers, with 3 models to choose from–Power Like No Other.

EGOPOWERPLUS.COM/POWER-RIDING-MOWERS



Drives like a car, turns like a ZTR! Introducing the industry's first e-STEER™ technology. which delivers ultimate control with the added

precision of a steering wheel. This Zero Turn riding mower with Peak Power™ technology and 22 HP covers up to 2.5 acres on a single charge with kitted 4x12.0Ah batteries.





DIGITAL DISPLAY OPTIONS 1. Cruise control

- 2. Mode selection
- 3. Speed selection
- 4. Reverse

ON A SINGLE CHARGE *WITH 4 INCLUDED 12.0AH BATTERIES







32 LED LIGHTS FRONT, SIDE AND REAR

ZT4204L 42" Z6 ZERO TURN RIDING MOWER

Zero Turn riding mower with Peak Power™ technology and 22 HP to covers up to 2 acres on a single charge with kitted 4x10.0Ah batteries.





52" 10-GAUGE FABRICATED STEEL CUTTING DECK

> ZT5207L **52" Z6 ZERO TURN RIDING MOWER**

Zero Turn riding mower with Peak Power™ technology and 25 HP to covers up to 4 acres on a single charge with kitted 6x12.0Ah batteries.











INDUSTRY'S #1 RATED CORDLESS LAWN MOWERS

The EGO POWER+ 21" Select Cut™ XP Mower with Speed IQ™ self-propel technology digitally senses and adapts speed to your stride, no levers or dials to adjust. Plus, an industryfirst digital display integrated into the handlebar provides real-time information to monitor lawn mower speed, battery charge status, and blade speed selection.

The 21" Select Cut[™] XP Mower with Speed IQ[™] delivers 8.3 foot-pounds of cutting torque—power that exceeds gas without the noise, fuss, or fumes. The Select Cut[™] Multi-Blade System is equipped with three interchangeable lower blades: the Mulching Blade, High Lift Bagging Blade, and Extended Run Time Blade.

This cordless lawn mower harnesses the power of the industry's most advanced 56V ARC Lithium™ batteries to deliver up to 90 minutes of runtime on a single charge.









*Run time can vary depending on model and battery as well as condition of grass and user operating technique.

Please note: Some features are not available on all models.

LM2156SP 21" SELECT CUT[™] XP CORDLESS MOWER

Self-propelled mower with a 21-inch cutting capacity and Select Cut™ Multi-Blade System



LM2135SP 21" SELECT CUT™ SELF-PROPELLED MOWER

Self-propelled mower with a 21-inch cutting capacity and Select Cut™ Multi-Blade System





TORQUE OF Premium gas

TOUCH DRIVE™ Self propelled Technology



LM2133 **21" SELECT CUT PUSH MOWER**

Push mower with a 21-inch cutting capacity and Select Cut™ Multi-Blade System



LM2135 **21" SELECT CUT PUSH MOWER**

Push mower with a 21-inch cutting capacity and Select Cut™ Multi-Blade System





LM2125SP 21" SELF-PROPELLED CORDLESS MOWER WITH TOUCH DRIVE[™]





| LM2114 | 21" PUSH MOWER

Push mower with a 21-inch cutting capacity





	LM2167SP	LM2156SP	LM2156SP-2	LM2142SP	LM2135SP	LM2135	LM2125SP	LM2114SP	LM2102SP-A	LM2114
CUTTING TORQUE	8.3	8.3	8.3	8.3	7.0	7.0	6.0	6.0	5.9	6.0
RUN TIME	90 mins	75 mins	Continuous	80 mins	60 mins	65 mins	60 mins	50 mins	65 mins	55 mins
KITTED BATTERY	12.0Ah	10.0Ah	2 X 10.0Ah	2 X 5.0Ah	7.5Ah	7.5Ah	7.5Ah	6.0Ah	2 X 4.0Ah	6.0Ah
CUTTING CAPACITY	21"	21"	21"	21"	21"	21"	21"	21"	21"	21"
SELF-PROPELLED	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	No
CUTTING SPEED CONTROL	SPEED IQ [™]	Automatic Variable Speed**	Automatic Variable Speed**	Automatic Variable Speed**	Automatic Variable Speed**	Automatic Variable Speed**	Automatic Variable Speed ^{**}	Automatic Variable Speed**	Automatic Variable Speed**	Automatic Variable Speed**
CUTTING DECK TYPE	Poly	Poly	Poly	Poly	Poly	Poly	Poly	Poly	Poly	Poly
NO-LOAD SPEED	2,800 rpm (normal)	2,800 rpm	2,800 rpm	2,800 rpm	2,700 rpm	2,700 rpm	2,800 rpm	2,800 rpm	2,800 rpm	2,800 rpm
CUT-HEIGHT SETTINGS	1", 1¼",1½", 2", 2½", 3", 3½", 4"	1", 1¼",1½", 2", 2½", 3", 3½", 4"	1", 1¼",1½", 2", 2½", 3", 3½", 4"	1½", 2", 2½", 3", 3½", 4"	1", 1¼",1½", 2", 2½", 3", 3½", 4"	1", 1¼",1½", 2", 2½", 3", 3½", 4"	1¼",1½", 2", 2½", 3", 3½", 4"	1¼",1½", 2", 2½", 3", 3½", 4"	1½", 2", 2½", 3", 3½", 4"	1¼",1½", 2", 2½", 3", 3½", 4"
HANDLE HEIGHTS	Three, user-adjustable	Three, user-adjustable	Three, user-adjustable	Three, user-adjustable	Three, user-adjustable	Three, user-adjustable	Three, user-adjustable	Three, user-adjustable	Three, user-adjustable	Three, user-adjustable
REAR COLLECTION	2.0 bushel	2.0 bushel	2.0 bushel	2.0 bushel	2.0 bushel	2.0 bushel	2.0 bushel	2.0 bushel	2.0 bushel	2.0 bushel
MULCHING	Yes-with plug	Yes-with plug	Yes-with plug	Yes-with plug	Yes-with plug	Yes-with plug	Yes-with plug	Yes-with plug	Yes-with plug	Yes-with plug
SIDE DISCHARGE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
VERTICAL STORAGE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
WEIGHT WITHOUT BATTERY	63.0 lbs	54.0 lbs	54.0 lbs	62.6 lbs	55.3 lbs	55.3 lbs	51.1 lbs	50.9 lbs	62.6 lbs	45.2 lbs
WATER RESISTANCE RAITING	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4

*Run time may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

**Automatic Variable Speed delivers optimal cutting speed to maximize battery run time while maintaining grass cutting performance. -Kit includes highlighted battery and Rapid Charger.



LM2142SP 21" SELF-PROPELLED MOWER WITH PEAK POWER™

Self-propelled mower with a 21-inch cutting capacity and 2.0 bushel collection bag





LM2102SP-A 21" SELF-PROPELLED MOWER

Self-propelled mower with a 21-inch cutting capacity and 2.0 bushel collection bag









WORLD'S MOST INNOVATIVE STRING TRIMMER ASSORTMENT

The EGO POWER+ String Trimmer assortment features everything from industry-leading innovations to a large cutting swath to cut any task down to size.

Patented Line IQ[™] technology is the world's first auto-sensing technology that monitors and feeds the line for a continuous 16-inch cutting swath for non-stop, high-performance trimming—no bump needed! Patented POWERLOAD[™] technology automatically winds your trimmer line to make line replacement as easy as feeding the line into the head and pressing a button!

A carbon fiber shaft makes the POWER+ POWERLOAD™ String Trimmer with LINE IQ™ the strongest string trimmer on the market, with the shaft backed by a lifetime warranty.









ST1511T 15" EGO POWER+ STRING TRIMMER with POWERLOAD™

One of the world's most advanced string trimmers. Telescoping shaft, variable-speed, 15-inch cutting swath with auto-wind head and easy string replacement



ST1534 15" EGO POWER+ REAR MOTOR STRING TRIMMER KIT Rear motor offers a staggering 1200-Watt output. The robust design provides gas performance without the noise, fuss, or fumes.

RAPID Reload



DUAL-TWIST Line



BRUSHLESS

PATENTED POWERLOAD[™] TECHNOLOGY



FEED	
THE LINE PUSH A BUTTON	ſ

	ST1623T	ST1521S	ST1511T	ST1502SA	ST1534
CUTTING WIDTH	16"	15"	15"	15"	15"
RUN TIME	60 mins	30 mins	45 mins	30 mins	45 mins
KITTED BATTERY	4.0Ah	2.5Ah	2.5Ah	2.5Ah	5.0Ah
SPEED CONTROL	2-Speed Variable	Variable	2-Speed Variable	Variable	2-Speed Variable
NO LOAD SPEEDS	3,500-4,800 / 4,000-5,500 rpm	4,000-5,800 rpm	3,500-4,500 / 4,000-5,800 rpm	4,000-5,800 rpm	6,000-7,000 rpm
SOFT START	Yes	Yes	Yes	Yes	Yes
SHAFT	Telescopic Carbon Fiber	Carbon Fiber	Telescopic Aluminum	Aluminum	Aluminum
LINE DIAMETER	0.095"	0.095"	0.095"	0.095"	0.095"
DUAL LINE	Yes	Yes	Yes	Yes	Yes
MOTOR TYPE	Premium Brushless Motor	Premium Brushless Motor	Premium Brushless Motor	Premium Brushless Motor	Premium Brushless Motor
WEIGHT WITHOUT BATTERY	7.5 lbs	7.5 lbs	7.7 lbs	7.3lbs	8.9lbs
WATER Resistance Rating	IPX4	IPX4	IPX4	IPX4	IPX4







STEP 1

Insert the line into the eyelet and push the line until the end of the line comes out of the opposite eyelet.

STEP 2


Pull the line from the other side until equal lengths of the line appear on both sides of the trimmer head.

STEP 3

Press and hold the lineloading button to start the line-winding motor.

*Run time may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.





MORE POWER Than a handheld Gas Blower

Powered by a high-efficiency brushless motor, EGO POWER+ Blowers feature jet turbine technology and a large diameter tube to give maximum airflow.

The variable-speed function is designed to keep you in control, even in Turbo mode that's capable of pushing air up to 200 MPH, depending on the model. That's more than most hand-held gas blowers on the market and that's enough to easily power through wet leaves, caked on grass, rocks, mud, snow and more.







LB7654-2 EGO POWER+ BLOWER

World's most powerful handheld blower. Variable-speed thumb selector for added airflow control with single-handed use, up to 765 CFM



LB6703 EGO POWER+ BLOWER

Variable-speed thumb selector for added airflow control with single-handed use, up to 670 CFM





Π

BRUSHLESS Motor



LB6151 EGO POWER+ BLOWER

Variable-speed setting, large blower tube, up to 615 CFM output in Turbo mode



LB5302 EGO POWER+ BLOWER

Variable-speed setting, large blower tube, up to 530 CFM output in Turbo mode





VARIABLE SPEED

BRUSHLESS Motor RUNS OVER 75 minutes



	LB5302	LB6151	LB6703	LB7654	LB7654-2
AIR VOLUME (CFM)	530	615	670	765	765
AIR SPEED (MPH)	130	170 (with tapered nozzle)	180 (with tapered nozzle)	200 (with tapered nozzle)	200 (with tapered nozzle)
LOW SPEED RUNTIME	Up to 75 mins	Up to 100 mins	Up to 160 mins	Up to 150 mins	Up to 150 mins
HIGH SPEED RUNTIME	Up to 22 mins	Up to 15 mins	Up to 24 mins	Up to 25 mins	Up to 25 mins
TURBO RUNTIME	Up to 10 mins	Up to 10 mins	Up to 12 mins	Up to 15 mins	Up to 15 mins
KITTED BATTERY	2.5Ah	2.5Ah	4.0Ah	5.0Ah	2 x 5.0Ah
SPEED SETTING	Variable	Variable/cruise control	Variable/cruise control	Variable/cruise control	Variable/cruise control
SOUND PRESSURE	64dB	63dB	64dB	64dB	64dB
MOTOR TYPE	Premium brushless motor	Premium brushless motor	Premium brushless motor	Premium brushless motor	Premium brushless motor
WEIGHT WITHOUT BATTERY	4.6 lbs	4.6 lbs	4.8 lbs	4.6 lbs	4.6 lbs
WATER RESISTANCE RATING	IPX4	IPX4	IPX4	IPX4	IPX4

11111111

*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.







POWER OF GAS WITHOUT THE NOISE, FUSS AND FUMES

Equipped with a premium brushless motor and turbine fan engineering, the EGO POWER+ Backpack Blower moves air at up to 600 CFM while being eight times quieter and 50% lighter than gas models. It delivers up to 180 minutes of run time. Adjust the waist belt and tube for your needs and comfort. Harness industry-leading ARC Lithium™ technology to clear your lawn with the POWER+ Backpack Blower.





| LB6003 | EGO POWER+ BACKPACK BLOWER

Variable-speed thumb selector for added airflow control with single-handed use, up to 600 CFM





VARIABLE RUNS UP TO Speed 180 minutes

TO BRUSHLESS Tes motor



	LB6003
AIR VOLUME (CFM)	600
AIR SPEED (MPH)	160
LOW SPEED RUNTIME	Up to 180 mins
HIGH SPEED RUNTIME	Up to 33 mins
TURBO RUNTIME	Up to 23 mins
KITTED BATTERY	7.5Ah
SPEED SETTING	Variable/Cruise Control
SOUND PRESSURE	64dB
MOTOR TYPE	Premium Brushless Motor
WEIGHT WITHOUT BATTERY	12.5lbs
WATER RESISTANCE RATING	IPX4

*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.






THE EGO MULTI-HEAD SYSTEM, ONE HEAD POWERS ALL TOOLS



With a single power unit and many different attachments, it's easy to see why the EGO POWER+ Power Head System is a very handy tool to have around. The simple and secure tool-free coupling makes switching attachments quick, easy, and safe. And with our innovative 56V ARC Lithium[™] battery supplying all the power you need, you can breeze through a variety of jobs without the fuss or fumes and with less noise than traditional gas-powered tools. Plus the extension pole gives you the reach to tackle any height.

ATTACHMENTS AVAILABLE:

- Extension pole
- Pole saw
- String trimmer
- Hedge trimmer
- Edger
- Cultivator
- Bristle brush
- Rubber broom
- Snow shovel



PH1420 Power+ Carbon Fiber Power Head

With a powerful and smooth high-efficiency brushless motor, it's lightweight, perfectly balanced, and ready for any job, big or small

	PH1400	PH1420
MOTOR TYPE	Brushless	Brushless
ROTATING DIRECTION	Counter-clockwise	Counter-clockwise
SPEED CONTROL	2-speed Variable	Digital 2-speed Variable
DRIVE SHAFT MATERIAL	7mm solid steel	7mm solid steel
DRIVE TUBE TYPE	Aluminium	Carbon fiber
COUPLING MECHANISM	Tool-free quick change	Tool-free quick change
WEIGHT	5.8 lbs	6.1 lbs

DURABLE CARBON

FIBER SHAFT LIFETIME WARRANTY

MULTI-TOOL SETS	INCLUDES
MST1501	PH1400, STA1500
MHC1502	PH1400, STA1500 and EA0800
ME0800	PH1400, EA0800
ME0801	PH1400, EA0800
MPS1001	PH1400, PSA1000
MHT2001	PH1400, HTA2000
MSS1203	PH1400, SSA1200
MST1604	PH1420, STA1600



DIGITAL SPEED SELECTOR & INDICATOR

- INSTANT START Variable speed trigger & lock off

MST1603 Multi-Head String trimmer with Powerload**

16" String Trimmer with POWERLOAD™ technology automatically winds your trimmer line. (Available in kit only)

> 2-IN-1 LINE LOAD METHOD Including Rapid Reload

GET BACK TO WORK IN SECONDS Patented Powerload" technology

-16" CUTTING SWATH



STA1500 **POWER HEAD SYSTEM STRING TRIMMER ATTACHMENT**

Packed with features to save you time and help you work safely, quickly, and efficiently



	STA1500				
WEIGHT	3.5 lbs				
TOTAL LENGTH	38''				
SHAFT TYPE	Straight				
CUTTING SPEED	5,000-6,000 rpm				
RUN TIME*	BATTERY SIZE				
	2.5Ah 5.0Ah 7.5Ah		7.5Ah		
	Up to	Up to	Up to		
	18 mins 45 mins 72 mins				
CUTTING WIDTH	15"				
LINE DIAMETER	.095"				
CUTTING HEAD	Rapid reload trimmer head				

PSA1000 POWER HEAD SYSTEM POLE SAW ATTACHMENT

10-inch guide bar and chain make cutting branches fast and efficient



	PSALUUU			
WEIGHT	4.2 lbs			
TOTAL LENGTH	56''			
SHAFT TYPE	Straight			
CUTTING SPEED	15m/s			
RUN TIME*	BATTERY SIZE			
	2.5Ah	5.0Ah	7.5Ah	
	Up to	Up to	Up to	
	70 cuts	140 cuts	210 cuts	
BLADE MATERIAL / TYPE	Oregon 90	PX040X		
GUIDE BAR LENGTH	10"			
CHAIN PITCH	3/8"			
CHAIN GAUGE	.043" 8"			
MAX. CUTTING DIAMETER				
OIL TANK CAPACITY	7.4 oz.			

	CTA9500		
WEIGHT	8.59 lbs		
TOTAL LENGTH	39"		
SHAFT TYPE	Straight		
CUTTING SPEED	210-240 rpm		
RUN TIME*	BATTERY SIZE		
	2.5Ah	5.0Ah	7.5Ah
	Up to	Up to	Up to
	40 mins	80 mins	120 mins
CUTTING WIDTH	Adjustable 2 blades 8"		
	4 blades 9.5"		
BLADE MATERIAL / TYPE	Steel		

	EA0800			
WEIGHT	5.0 lbs			
TOTAL LENGTH	36''			
SHAFT TYPE	Straight			
CUTTING SPEED	3,400-4,000 rpm			
RUN TIME*	BATTERY SIZE			
	2.5Ah	5.0Ah	7.5Ah	
	N/A	Up to 60 min	Up to 100 mins	
BLADE LENGTH	8"			
CUTTING DEPTH	up to 3"			
BLADE THICKNESS	0.12"			
DEBRIS GUARD MATERIAL	Aluminum casting			
BLADE ARBOR HOLE SIZE	1"			
GUIDE WHEEL SIZE	5" x 1.5"			

CTA9500 **POWER HEAD SYSTEM CULTIVATOR ATTACHMENT**

The heavy-duty steel tines are adjustable from 8 to 9.5 inches





With quick depth adjustment and handy guide, this attachment makes achieving a perfect edge easy

HTA2000 Power Head System Hedge Trimmer Attachment

As precise as it is powerful—laser-cut, diamondground blades and simple angle adjustments



	HTA2000		
WEIGHT	5.9 lbs		
TOTAL LENGTH	63''		
SHAFT TYPE	Straight		
CUTTING SPEED	2,800-3,200 spm		
RUN TIME*	BATTERY SIZE		
	2.5Ah	5.0Ah	7.5Ah
	Up to	Up to	Up to
	37 mins	82 mins	122 mins
BLADE LENGTH	20"		
CUTTING CAPACITY	1"		
BLADE MATERIAL / TYPE	Double-sided laser-cut steel blade		
FIXED CUTTING ANGLES	12 positions		

S

BBA2100 Power Head System Bristle Brush Attachment

22-inch sweeping surface conveniently clears large areas quickly



	BBA2100				
WEIGHT	11 lbs	11 lbs			
TOTAL LENGTH	40"				
SHAFT TYPE	Straight				
SPEED	210-240 rpm				
RUN TIME*	SIZE				
	2.5Ah	5.0Ah	7.5Ah		
	Up to 50 mins	Up to 100 mins	Up to 150 mins		
CLEANING WIDTH	22"				

RBA2100 Power Head System Rubber Broom Attachment

21-inch cleaning swath cleans grass, asphalt, and concrete areas quickly



	DD10100			
	RBA2100			
TOTAL LENGTH	40.5"	40.5"		
SHAFT TYPE	Straight			
SPEED	210-240 rpm			
RUN TIME*	BATTERY SIZE			
	2.5Ah	5.0Ah	7.5Ah	
	Up to	Up to	Up to	
	50 mins	100 mins	150 mins	
CLEANING WIDTH	21"			

SSA1200 Power Head System Snow Shovel Attachment

12-inch clearing surface and up to 25-foot directional throwing distance



	SSA1200
CLEARING WIDTH	12"
THROWING DISTANCE	25 ft.
RUN TIME*	BATTERY 4.0Ah 4-car driveway with 6" snow
SPEED	2-speed / variable
ADJUSTABLE THROW Direction	(30° L to 30° R)

EP7500 Power Head System Extension Pole

Nothing is out of reach with this strong yet lightweight extension pole; just click in the attachment you need and off you go







TOOL-FREE CHAIN TENSIONING

ADVANCED TOOL-FREE TENSIONING TECHNOLOGY



EGO POWER+ Chain Saws are built tough to tackle even the hardest jobs. From branches to logs and trunks, nothing gets in its way.

The tool-free chain tensioning system makes for simple setup and easy on-the-fly adjustments. Check the lubrication level through the oil inspection window and you're ready to go.

It really cuts it when it comes to safety, too. The chain kickback and electric brake protect you while you work. And the auto-lubrication system keeps the chain spinning freely at all times.

Plus, with EGO's 56V ARC Lithium[™] battery delivering impressive run times and incredible power on a single charge, it'll keep you working cut after cut after.











14-inch bar length and brushless motor





	CS1804	CS1804-2	CS1611	CS1604	CS1401
BAR & CHAIN LENGTH	18"	18"	16"	16"	14"
MOTOR TYPE	High Efficiency Brushless Motor				
CC POWER EQUIVALENT	45CC	45CC	40CC	35CC	30CC
RUN TIME	300 Cuts	600 Cuts	130 Cuts	250 Cuts	130 Cuts
BATTERY CAPACITY	5.0Ah	2 x 5.0Ah	2.5Ah	5.0Ah	2.5Ah
CHAIN SPEED	20m/s	20m/s	20m/s	13.5m/s	13.5m/s
OIL RESERVOIR	6.76 oz	6.76 oz	5 oz	5 oz	5 oz
AUTOMATIC OILING	Yes	Yes	Yes	Yes	Yes
TOOL-FREE TENSIONING	Yes	Yes	Yes	Yes	Yes
CHAIN BRAKE	Yes	Yes	Yes	Yes	Yes
WEIGHT WITHOUT BATTERY	9.6 lbs	9.6 lbs	9.0 lbs	8.5 lbs	8.2 lbs
WATER RESISTANCE RATING	IPX4	IPX4	IPX4	IPX4	IPX4

*Run time may vary depending on the charge level of the battery and user's operation technique. Based on 4 x 4 lumber.





INDUSTRY'S FIRST LED CUT LINE INDICATOR



Introducing the industry-first's LED Cut Line Indicator for more accurate cuts when working under dark, shaded canopies and low light conditions. Its telescopic carbon fiber shaft extends for a total reach up to 17 feet (when using the extension pole) while maintaining best-in-class weight up to 30 percent lighter than other pole saws. Tool-free tensioning provides fast, precise chain tensioning so you can get back to work faster.








BALANCED, Controlled, Powerful Cutting



The EGO POWER+ 26" Hedge Trimmer features dual-action blades that deliver up to 3,400 strokes per minute for fast, clean cuts. Its strong and light carbon fiber rail is an industry first, delivering ultimate durability, backed by a lifetime warranty. The hedge trimmer features a five-position, 180-degree rotating handle that delivers ultimate control. This cordless hedge trimmer has a 1.2inch cut capacity to tackle thicker branches along with a serviceable gearbox to make blade sharpening quick and easy. Its high-efficiency brushless motor delivers long runtime, low vibrations, and extended tool life. IPX4-rated weather resistance delivers protection from the elements. Experience a cordless hedge trimmer that can truly replace gas.



HT2411 24'' Ego Power+ Hedge Trimmer

24-inch blade length, 1-inch blade gap with single knife-edge cutting action



HT2501 25'' Ego Power+ Hedge Trimmer

25-inch blade length, 1-1/4-inch blade gap with double-sided, laser cut steel blades



	HT2410 / HT241	1		HT2500 / HT25	01		HT2601		
BLADE LENGTH	24"		25"		26"				
BLADE GAP	1 ⁿ		1.25"		1.2"				
RUN TIME*	BATTERY SIZE			BATTERY SIZE		BATTERY SIZE			
	2.5Ah ^	5.0Ah	7.5Ah	2.5Ah ^	5.0Ah	7.5Ah	2.5Ah ^	5.0Ah	7.5Ah
	Up to 75 mins	Up to 150 mins	Up to 225 mins	Up to 40 mins	Up to 70 mins	Up to 110 mins	Up to 60 mins	Up to 120 mins	Up to 180 mins
SPEED CONTROL	Single speed		2-speed setting (high/low)		Single speed				
NO LOAD SPEEDS	3,000 spm		2,800/3,200 spm		3,400 spm				
BLADE TYPE	Hardened steel cutting blade		Laser cut, diamond ground cutting blades		Diamond ground cutting blades				
CUTTING ACTION	Double-sided cutting blade		Double-sided cutting blade		Double-sided cutting blade				
WEIGHT WITHOUT BATTERY	6.16 lbs		8.4 lbs		6.92 lbs				
WATER RESISTANCE RATING	IPX4			IPX4		IPX4			

*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.



WORLD'S MOST Powerful Area light

Introducing the EGO POWER+ Portable Area Light, the world's most powerful area light in handheld cordless outdoor power. Adjustable from 600-10,000 lumens, use as an ambient mood light, effective task light, and so much more. Activate boost mode for best-in-the class 10,000 lumens to illuminate large areas. With its compact design and integrated handle, easily store this light or take it on the go! This light is equipped with rafter hooks for hanging overhead and a tripod mount to cast light over an entire room. Premium features like a USB-A Port come standard to make the experience unlike any other, allowing you to power or charge essential devices.

LT1000 EGO POWER+ AREA LIGHT

	LT1000
LUMENS	600-10,000
RUN TIME	35 hours (on low with 5.0Ah battery)
IPX RATING	IPX4
WEIGHT WITHOUT BATTERY	9.48 lbs
BRIGHTNESS	5 settings



Introducing the EGO POWER+ 18" Misting Fan! This fan has double the airflow of a standard 20-inch box fan. Five different speed settings allow you to adjust airflow to your liking from 1,500 CFM to 5,000 CFM for ultimate control. With its telescopic handle and durable wheels, take advantage of superior portability. Bring to sporting events, tailgates, beach days, patio hangouts, and more! Ideal for cooling down indoor and outdoor environments with quiet operations of just 42dB on Speed 1. Simply drop the intake filter in a bucket to cool down 540 square feet, equivalent to a large entertainment patio!





TAKE ON ANYTHING WINTER THROWS AT YOU



The EGO POWER+ 2-Stage Snow Blower is a heavy-duty workhorse with Peak Power[™] technology, which combines the power of any two EGO 56V ARC Lithium™ batteries to tackle the toughest snow conditions and what the snowplow leaves behind with ease. Get the job done quickly with the 24-inch clearing width and 20-inch intake height to push through even the heaviest of wet snow. Four LED lights make it easy for use in early morning or evening. On just a single charge, this selfpropelled snowblower can clear up to 8 inches of dense snow from a 24-car driveway before launching it 50 feet in the direction of your liking. And heavy duty, thick-tread tires make commanding your way through a whiteout effortless. The EGO POWER+ 2-Stage Snow Blower exceeds the power and performance of gas without the noise, fuss, or fumes,





| SNT2405 / SNT2406 | Ego Power+ 2-stage snow blower

Robust steel construction and 50-foot throwing distance



	SNT2405	SNT2406	
CLEARING WIDTH	24	ļu	
RUN TIME*	2 x 7.5Ah	2 x 10.0Ah	
	18-Car driveway with 8" of snow	24-car driveway with 8" of snow	
VARIABLE AUGER SPEED	Ye	s	
SINGLE/DUAL STAGE	Du	al	
MAXIMUM THROWING DISTANCE	50'		
PUSH BUTTON START	Yes		
HEADLIGHTS	Ye	S	
INTAKE HEIGHT	20"		
AUGER TYPE	Robust steel		
CHUTE ROTATION	200°		
DECK MATERIAL	Robust steel		
VERTICAL STORAGE		s	
WEIGHT WITHOUT BATTERY	143.3 lbs		
WATER RESISTANT RATING	IP)	(4	

*Run time may vary and depend on the battery used, charge level of battery, user's operation technique and condition of snow.





STARTS THE FIRST TIME, EVERY TIME

Featuring Peak Power[™] technology the EGO POWER+ Snow Blower combines the power of any two EGO 56V ARC Lithium[™] batteries for superior clearing power, even heavy, wet snow. Built with a high-efficiency brushless motor and a 21-inch clearing width, it can handle what the city snowplow leaves behind with ease.

Easily adjust the variable-speed auger for maximum control and to throw snow up to 40 feet! A robust, handle-mounted chute-adjustment lever puts the user in control when re-directing the snow up to 180 degrees from side to side. Two bright LED headlights make it convenient for use early in the morning or at night, and the robust steel chassis is built for aggressive use in demanding conditions.

44 EGO POWER⁺ SNOW BLOWER

YEAR

WARRANTY



T E C H N O L O G Y two ego arc lithium" batteries



DESIGN

LLED 45' THR DIST/



*Run time may vary depending on the battery used, charge level of battery, and user's operation technique.

VERTICAL STORAGE

WEIGHT WITHOUT BATTERY


WATER RESISTANT RAITING

Yes

IPX4

50.6 lbs







CLEARS 6" OF SNOW ON A 4-CAR DRIVEWAY with the included 4.0Ah ARC Lithium™ battery

MSS1203 EGO POWER+ MULTI-HEAD SNOW SHOVEL

12-inch clearing surface and 25-throwing distance



25' THROWING DISTANCE DISTANCE

	MSS1203
WEIGHT	17 lbs
RUN TIME*	4.0Ah
	4-Car driveway with 6"of snow
CLEARING WIDTH	12"
SPEED	2-speed / variable
ADJUSTABLE THROW DIRECTION	25°
THROWING DISTANCE	25'



SNT2102 / SNT2103 EGO POWER+ SNOW BLOWER

Robust steel construction and 35-foot throwing distance



SNT2112 / SNT2114 EGO POWER+ SNOW BLOWER

Robust steel construction and 40-foot throwing distance







	SNT2102 / SNT2103		SNT2112	SNT2114	
CLEARING WIDTH	21"		21"		
RUN TIME*	2 x 5.0Ah	2 x 7.5Ah	2 x 5.0Ah	2 x 7.5Ah	
	10-car driveway with 8" of snow	16-car driveway with 8" of snow	12-car driveway with 8" of snow	14-car driveway with 8" of snow	
VARIABLE AUGER SPEED	Yes		Yes		
SINGLE/DUAL STAGE	Single		Single		
MAXIMUM THROWING DISTANCE	35'		40'		
PUSH BUTTON START	Yes		Yes		
HEADLIGHTS	Yes		Yes		
INTAKE HEIGHT	13"		13"		
AUGER TYPE	Rubber-tipped	Rubber-tipped metal frame		Robust steel	
CHUTE ROTATION	180°		180°		
DECK MATERIAL	Robust steel		Robust steel		
VERTICAL STORAGE	Yes		Yes		
WEIGHT WITHOUT BATTERY	50.6 lbs		50.6 lbs		
WATER RESISTANT RATING	IPX4		IPX4		

*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.



EGO POWER+ MOWER BLADES

AB2000

Standard blade for LM2002, LM2021 and LM2022SP

AB2100

Standard blade for LM2101 and LM2102SP



AB2101

High lift blade for 20-inch lawn mowers



AB2100D

Mulching Dual-Blade set for EGO Select Cut 21-inch Lawn Mowers



. . .

AB2101D

Bagging Dual-Blade set for Select Cut 21-inch Lawn Mowers



21-inch mower mulching blade

APH1000

21-inch mower phone holder



EGO POWER+ Z6 MOWER

AB4201D Bagging blade set for ZT4204L

AB4200D Replacement blade set for ZT4204L



ABP5200 Mulching blade set for ZT5207L

AB5201D Bagging blade set for ZT5207L



AB5200D Replacement blade set for ZT5207L

ABK4200 ZT4204L bagger kit



ABK5200 ZT5207L bagger



AMP4200 ZT4204L mulching plug





AMS1000 Z6 sun shade

AMG1000

Z6 onboard storage



EGO POWER+ CHAIN SAW BARS

AG1000

10-inch guide bar for PSA1000 and PSX2500



AG1200

12-inch guide bar for CSX3000



AG1400

14-inch guide bar for CS1400



AG1600

16-inch guide bar for CS1600



G

AG1800

18-inch guide bar for CS1800

AG1000Q

10-inch bar for carbon fiber pole saw models PS1000 and PSX2510



EGO POWER+ CHAIN SAW CHAINS

AC1000

10-inch chain for PSA1000 and PSX2500 3/8" pitch, .043 gauge, 40 drive links

AC1200

12-inch chain for CSX3000 3/8" pitch, .043 gauge, 45 drive links



AC1400

14-inch chain for CS1400 3/8" pitch, .043 gauge, 52 drive links 🦼

AC1600

16-inch chain for CS1600 3/8" pitch, .043 gauge, 56 drive links

AC1800

18-inch chain for CS1800 3/8" pitch, .043 gauge, 62 drive links

AC1000Q

10-inch chain for carbon fiber pole saw models PS1000 and PSX2510

AOL3200

32oz premium bar and chain lubricant Biodegradable formula



AOL1000 1gal bar and chain lubricant (coming in 2024)





EGO POWER+ BLOWER ATTACHMENT

AGC1000 Gutter cleaning attachment



Nozzle for LB5300 and LB5750

AN5300



AN5801 Spread nozzle for LB5800

AN6000F Flat nozzle for LB6500, LB6150, LB5800, LBX6000



ANGOOOR



Handheld blower compact tube attachment



EGO POWER+ SHOULDER STRAPS

AP1500

AST1000

Universal Shoulder Strap compatible with all EGO blowers and string trimmers



EGO POWER+ STRING TRIMMER HEADS

AH1520

Powerload[™] Trimmer Head for ST1500 /ST1500F/ ST1530 *AH1522 for counter-clockwise rotation



AH1500

Rapid Reload Trimmer Head for ST1502SF and MST1501 *AH1501 for counter-clockwise rotation



AH1620 Line-IQ trimmer head for ST1623T



AH1530 Rapid Reload Trimmer Head

AH1531 Rapid Reload Trimmer Head





AH3810 Commercial rapid reload trimmer head



AL2420PB Pre-Cut 0.095" Premium Twist Trimmer Line 5 Pack

AL2420P Pre-Cut .095" Twisted Trimmer Line - 5 Pack



AL2420PD Pre-Cut .095" Twisted Trimmer Line – 5 Pack



AL2470B 230 Feet Of 0.095" Premium Trimmer Line Bulk pack

AL2450S

160 Feet of 0.095" Twisted Trimmer Line



EGO POWER+ SINGLE STAGE SNOW BLOWER

ARP2100

Rubber Paddles for SNT2100




ASS2100

Scraper Bar for SNT2100

ASS1200

Scraper Bar for MSS1203/SSA1200



Steel Auger Paddles for SNT2110



ARP2101

Snow Blower Belt for SNT2100/SNT2110



EGO POWER+ 2-STAGE SNOW BLOWER

ASG2400L

Left Auger

ASG2400R Right Auger



AW2400L Left Wheel



AW2400R Right Wheel



EGO POWER+ SAFETY GLASSES

GS001

- Clear lenses with 99.9% UV protection
- Anti-scratch
- Impact-resistant lens

GS002

- Gray lenses with 99.9% UV protection
- Anti-scratch
- Impact-resistant lens

GS003

- Yellow lenses with 99.9% UV protection
- Anti-scratchImpact-resistant lens

EGO POWER+ WORK GLOVES

GV001

Synthetic work gloves



EGO POWER+ STORAGE BAGS

BMH1000

For use with the EGO Multi-Head System

BCS1000

For use with the EGO 14", 16" & 18" chain saws



Mower Cover for 20" and 21" mowers







CB002 Snow Blower Cover for SNT2100/SNT2110

CRM001

42" Zero Turn Riding Mower Cover

CBOO3 2-Stage Snow Blower Cover

















POWER WHEN YOU WANT IT POWER WHEN YOU NEED IT

A true alternative to compact gas generators

Say goodbye to the gas generator. The EGO Nexus Power Station can harness the power of any EGO battery to deliver clean, quiet power—indoors or out.

The Nexus Power Station is the first portable power station of its kind. Use in a power outage to plug in your refrigerator so the food does not spoil or plug in your microwave to cook the family a quick dinner. Bring the power station anywhere you do not have convenient power, like camping, hiking, boating, tailgating—the possibilities are endless.





Built tough with a 120V AC power outlet and two USB ports

PAD5000 400W NEXUS ESCAPE

Power up to four total devices simultaneously or charge your 56V EGO Battery

CH1800 Solar Panel Charger

Connect your solar panel charger to your EGO Nexus Power Station for convenient solar recharging with up to 180W of charging with 12V solar panels. *Visit egopowerplus.com for recommended solar panels







	PST3042 / PST3041 / PST3040
POWER OUTPUT	3000W peak 2000W continuous
OUTLETS	3 120V AC
PORTS	4 USB-A
DISPLAY	Bright LED display shows run time
CONSTRUCTION	Robust steel handles
USAGE	Indoor and outdoor
BATTERY CHARGER	4 ports (when plugged in)
WATER RESISTANCE RATING	IPX4 weather-resistant construction

	PAD1500	PAD5000
CONTINUOUS	150W	400W
PEAK	200W	800W
OUTLETS	120V AC	120V AC
PORTS	2 USB-A	2 USB-C ports & 1 USB-A port
SOLAR CHARGING	No	Yes
BUILT IN LIGHT	No	Yes

COMMERCIAL SERIES 2023





COMING SOONSETTING THE NEWSTANDARD

Introducing the new EGO Comercial Series. The next generation of pro tools delivers all-day power and performance, 365 days a year. And it's no longer driven by gas.

EGO sets a new standard in POWER, PERFORMANCE & DURABILITY.


- Powered by EGO 56V ARC Lithium[™] battery technology
- Carbon fiber shafts for ultimate durability
- IPX5 weather-resistant construction
- Digital brushless motors with intelligent power management
- Backed by 2-year warranty
- UV-resistant composite





TABLE OF CONTENTS

EGO POWER+ Commercial Series Product Offerings	56 57
EGO POWER+ Backpack Battery Commercial Backpack Battery	60
EGO POWER+ Commercial String Trimmer	62 63
EGO POWER+ Commercial Hedge Trimmer 25" Commercial Hedge Trimmer	64 6:
EGO POWER+ Commercial Top Handle Saw 12" Commercial Top Handle Chain Saw	66
EGO POWER+ Commercial Blower Commercial Blower with 600 CFM Turbo Boost	68
EGO POWER+ Commercial Telescopic Pole System 10" Commercial Pole Saw 22" Commercial Pole Hedge Trimmer	70 זיז זיז
Commercial Telescopic Power Pole	71



LBPX8000 (COMING SOON) EGO COMMERCIAL 800 CFM BACKPACK BLOWER WITH PEAK POWER™

The next-generation EGO Commercial 800 CFM Backpack Blower delivers 800 CFM, air speeds up to 190 MPH, and 26N push force for all-day power and uptime. This batterypowered backpack blower features a high-performance 1900W brushless motor with intelligent electronics to deliver power equivalent to a 60cc gas engine. Tailor performance with digital controls including a battery level indicator and speed control with turbo lock on the blower's fully adjustable hand grip and tube.

- Brushless motor delivers 1900W max power, 1700W rated power
- Peak Power[™] combines the power of any two EGO
- 56V ARC Lithium[™] batteries to deliver 800 CFM • Runs up to 60 minutes on high with two 56V
- 12.0Ah ARC Lithium™ batteries
- 65 db(A)
- * Compared to previous EGO model





STX4500 (COMING SOON) EGO COMMERCIAL 17.5" STRING TRIMMER

The next-generation EGO Commercial 17.5" String Trimmer features a 1600W high-performance brushless motor with intelligent electronics to deliver power equivalent to a 35cc gas engine. Its commercial-grade construction is built for 5X longer life and features a lightweight and durable carbon fiber shaft designed to stand up to the hazards of all-day professional use and transport between jobs. It features UV-resistant composite housing and IPX5-rated weather resistance to take on the toughest conditions. The string trimmer features a 17.5-inch cutting capacity along with a Rapid Reload head that gets you back to work in seconds. The trimmer head can take .095 to .120-inch line with a 26-foot load capacity so you can work uninterrupted.

- 35cc gas engine equivalent
- Brushless motor delivers 1600W max power, 900W rated power
- Runs up to 60 minutes on low with a 56V 5.0Ah ARC Lithium[™] battery
- Carbon fiber shaft for ultimate durability
- Three-speed digital control: 3,500 / 4,500 / 5,200 RPM
- Rapid Reload allows you to get back to work in seconds
- 2-year warranty without wear-and-tear exclusions

* Compared to previous EGO model



BCX4500 (COMING SOON) EGO COMMERCIAL 12" BIKE HANDLE BRUSH CUTTER

The E60 Commercial 12" Bike Handle Brush Cutter delivers more power than leading gas equivalents with its 1,600W high-performance brushless motor and intelligent electronics delivering 35cc equivalent. This durable brush cutter is designed for 5X longer life under all-day professional use in the toughest conditions with its UV-resistant composite housing, IPX5-rated weather resistance, and strong and lightweight carbon fiber shaft. Plus, a variable speed, instanton trigger for control and easier sweeping motion to power through everything from fine fescue grass to 1-inch saplings.

- 35cc gas engine equivalent with 10% more power than leading gas brush cutters (see below*)
- Brushless motor delivers 1,600W max power, 900W rated power
- Runs up to 60 minutes on low with a 56V 7.5Ah ARC Lithium[™] battery
- *Compared to gas model STIHL FS111



POWER[®] COMMERCIAL SERIES

INDUSTRY LEADING

| HTX5300-P (COMING SOON) | EGO COMMERCIAL FIXED SHORT POLE HEDGE TRIMMER

The EGO Commercial Fixed Short Pole Hedge Trimmer features industry-leading durability with a carbon fiber shaft and rails. Commercial-grade construction featuring UV-resistant composite housing and IPX5-rated weather resistance provides 5X longer life for all-day trimming, sculpting, shaping, and pruning in the toughest conditions. Powered by 56V ARC Lithium^{**}, its 1000W high-performance brushless motor with intelligent electronics delivers the power of a 25cc gas engine.

- 25cc gas engine equivalent
- Brushless motor delivers 1000W max power / 650W rated power
- Runs up to 75 minutes with a 56V 2.5Ah ARC Lithium™ battery on low
- Carbon fiber shaft and rail for ultimate durability
- Serviceable gearbox and blades provide easy sharpening and customization to minimize downtime



HTX5300-PA (COMING SOON) Ego commercial articulating pole hedge trimmer

The EGO Commercial Articulating Pole Hedge Trimmer features industry-leading durability with a carbon fiber shaft and rails. Commercial-grade construction featuring UV-resistant composite housing and IPX5-rated weather resistance provides longer life for all-day trimming, sculpting, and pruning in the toughest conditions. Its articulating head rotates 135 degrees across 10 positions for ultimate control and precision. Powered by 56V ARC Lithium[™], its 1000W high-performance brushless motor with intelligent electronics delivers the power of a 25cc gas engine.

- 25cc gas engine equivalent
- Brushless motor delivers 1000W max power / 650W rated power
- Runs up to 75 minutes with a 56V 2.5Ah ARC Lithium[™] battery on low
- Carbon fiber shaft and rail for ultimate durability
- 135-degree, 10-position articulating head for ultimate control
- Serviceable gearbox and blades provide easy sharpening and customization



HTX5310-P (COMING SOON) Ego commercial fixed long pole hedge trimmer

The EGO Commercial Fixed Long Pole Hedge Trimmer features industry-leading durability with a carbon fiber shaft and rails. Commercial-grade construction featuring UV-resistant composite housing and IPX5-rated weather resistance provides longer life for all-day trimming, sculpting, shaping, and pruning in the toughest conditions. Powered by 56V ARC Lithium[™], its 1000W high-performance brushless motor with intelligent electronics delivers the power of a 25cc gas engine.

- 25cc gas engine equivalent
- Brushless motor delivers 1000W max power / 650W rated power
- Runs up to 75 minutes with a 56V 2.5Ah ARC Lithium $^{\scriptscriptstyle \rm M}$ battery on low
- Carbon fiber shaft and rail for ultimate durability
- Serviceable gearbox and blades provide easy sharpening and customization





EDX2000 (COMING SOON) EGO COMMERCIAL 8" STRAIGHT EDGER INDUSTRY LEADING DURABILITY

The next-generation EGO Commercial Straight Edger features a strong, lightweight carbon fiber shaft for ultimate durability for all day professional use. Up to 1500W high-performance brushless motor with intelligent electronics is powered by 56V ARC Lithium™ to deliver the power of a 25cc gas engine. It has an 8-inch blade, adjustable guide wheel, and 3-inch max cutting depth. Commercial-grade construction featuring UV-resistant composite housing and IPX5-rated weather resistance for all-day uptime in the toughest conditions.

- 25cc gas engine equivalent
- Brushless motor delivers 1500W max power / 1200W rated power
- Runs up to 60 minutes with a 56V 5.0Ah ARC Lithium[™] battery
- Carbon fiber shaft for ultimate durability



The new EGO Commercial Curved Edger features a thick curved aluminum shaft for ultimate control and visibility around curves. Its up to 1500W high-performance brushless motor with intelligent electronics is powered by 56V ARC Lithium™ to deliver the power of a 25cc gas engine. It has an 8-inch blade, adjustable guide wheel, and 3-inch max cutting depth. Commercial-grade construction featuring UV-resistant composite housing and IPX5-rated weather resistance deliver all-day uptime in the toughest conditions.

- 25cc gas engine equivalent
- Brushless motor delivers 1500W max power / 1200W rated power
- Runs up to 60 minutes with a 56V 5.0Ah ARC Lithium™ battery
- Curved thick aluminum shaft for ultimate durability and better line-of-sight

PSX2510 (COMING SOON) EGO COMMERCIAL 10" TELESCOPIC POLE SAW INDUSTRY'S FIRST CUT LINE INDICATOR

Introducing the EGO Commercial 10" Telescopic Pole Saw with the industry's first LED Cut Line Indicator for more accurate cutting when working in shaded canopies and low light conditions. Its 1200W high-performance brushless motor is powered by 56V ARC Lithium[™] to deliver power equivalent to a 25cc gas engine and 20 m/s chain speeds. Its telescopic carbon fiber shaft is strong, light, and versatile, and up to 40% lighter than leading pole saws.

25cc gas engine equivalent

- Brushless motor delivers 1200W max power
- Industry's first LED Cut Line Indicator guides your work in low light conditions
- III IOW IIVIIL CONULLIUNS
- IPX5 Weather Resistant
 Telescopic carbon fiber shaft
- Up to 100 cuts with a 56V 5.0 ARC Lithium™ battery









Team up your EGO POWER+ tools with one of our lithium-ion backpacks

Balancing exceptional power with user comfort, EGO's lithium-ion BAX1501 backpacks are ergonomically designed to keep you working all day long. The battery pack can be removed from the harness* allowing the battery to be shared among multiple users, each with their own harness.

To ensure optimum performance, efficiency, and longevity, these high-energy capacity batteries incorporate intelligent individual cell monitoring and balancing, both when powering a tool and when recharging.

Designed to perform, built to last

Delivering the run times you demand, EGO POWER+ backpack batteries can give you a full day's work** from a single charge. The high-quality cells with both high power rating and high energy density can handle up to 1,000 charge cycles. Plus, with fast recharging you can go from empty to full in just 3.5 hours.

Flexible performance

With long run times and user-comfort, EGO POWER+ backpack batteries are perfect for all-day use. They're compatible with all EGO POWER+ tools, and as the battery is on the harness and not the tools, they are lighter and even easier to handle.



BAX1501 COMMERCIAL **BACKPACK BATTERY**

**Dependent on the tool and based on an 8-hour working day

56V 28Ah lithium-ion backpack battery that provides the same power as 80% of gas products, without the noise, fumes, or vibration.

	BAX1501		BH1001	BHX1001		ADB1000
CAPACITY	1,568Wh at 56V rated	HARNESS	Soft padded double shoulder strap	Double shoulder strap with waist belt	QUICK PLUG-IN AND OUT	Yes
CONNECTION METHOD	Adapter / Plug-in	QUICK DETACHABLE HARNESS	No	Yes	COUNTERWEIGHT	No
BATTERY WEIGHT	19.8 lbs w/o harness	CONNECTING METHOD	Quick plug-in & out for EGO Commercial Tools Adapter ADB1000 for EGO	Quick plug-in & out for EGO Commercial Tools Adapter ADB1000 for EGO	ADJUSTMENT	NO
HARNESS	Detachable				RUBBER MOLD PROTECTION	Yes
WEATHERPROOF PROTECTION	IP56		Residential Tools	Residential Tools	WEIGHT	1.3 lbs
CHARGER	CHX5500	CARRYING HANDLE	Yes	Yes		
CYCLE LIFE	Up to 1,000 cycles	HIP PAD FOR BRUSH CUTTER	Quick attach (optional)	Quick attach (optional)		
*Note the harness straps are supplied with padded comfort straps and may appear different.		UPRIGHT STAND STORAGE	Yes	Yes		
		WEIGHT WITHOUT BATTERY	4.8 lbs	6.5 lbs		

EGO POWER $^+$ backpack batteries 61





THE TOUGH ANSWER TO Rough Ground

Perfectly balanced for comfortable use, the EGO Power+ Commercial Backpack Series String Trimmer make short work of even the roughest ground. Power comes from EGO's Commercial Backpack Battery and the ready-for-anything 2,000-watt motor.

All this is channeled through the light and durable carbon fiber shaft. Unlike alloy shafts, it won't bend and lose its shape over time, keeping vibration levels to a minimum.



STX3800 Commercial Backpack Series String Trimmer

Leave the fuss and fumes of gas behind with this powerful, pro-standard tool. Pair up with our Commercial Backpack Battery BAX1501 for all-day power and comfort.

	STX3800
CUTTING WIDTH	
 Line trimmer head 	15"
TOTAL LENGTH	73" / 6'
RUN TIME [*] WITH	With trimmer head
BAX1501 BATTERY	Up to 300 mins
SPEED CONTROL	Constant variable speed
NO LOAD SPEEDS	5700 rpm
SOFT-START	Yes
LINE DIAMETER	.095" - 1.0"
LINE FEED	Manual wind bump feed head
DUAL LINE	Yes
ROTATING DIRECTION	Counter-clockwise
AUXILIARY HANDLE	Loop handle
HARNESS	Hip pad (AHP1500)
WEIGHT	14.3 lbs
MOTOR TYPE	Brushless
	With trimmer head
VIBRATION (M/S ²)	1.9/1.5

*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique.





MAKES CUTTING HEDGES Short Work

Designed for professionals, the Commercial Backpack Series Hedge Trimmer is precision engineered to tackle the toughest hedges with ease

Powered by the gas-matching Commercial Backpack Battery, a single charge delivers impressive run times. The smooth and quiet brushless motor and gearbox give you all the power you need, without the vibration, fumes, and noise of a gas engine.

Blades that stay sharper for longer

The high-quality EGO POWER+ blades are made from lasercut steel with diamond-ground edges, which are laserhardened to stay sharp longer than conventional blades.



HTX6500

COMMERCIAL BACKPACK SERIES HEDGE TRIMMER

Powerful, smooth, and perfectly balanced, the dual trigger system provides enhanced user comfort and safety. Making it perfect for any job, big or small.

	HTX6500
BLADE LENGTH	25"
CUTTING CAPACITY	1.3"
BLADE GAP	1.3"
RUN TIME [*] WITH Bax1501 Battery	Up to 420 mins
SPEED CONTROL	One-speed
NO LOAD SPEEDS	3,600 spm
BLADE TYPE	Double-sided cutting
CUTTING ACTION	Dual action; double-sided cutting
BLADE TIP PROTECTOR	Yes
ROTATING HANDLE	No
WEIGHT	8.5 lbs
MOTOR TYPE	Brushless
VIBRATION (M/S ²)	3.2/3.9

*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.





INDUSTRY'S Most Powerful Top-handle Chainsaw

EGO's arborist-specialist tool. The Top-Handle Chainsaw is designed to tackle the challenges of all-day professional use and deliver the power of gas at 37.7CC that lasts up to 265 cuts.

With industry-leading ARC Lithium[™] battery technology at its heart, the Top-Handle Chainsaw provides unrivaled power, torque, and chain speed, while benefiting from longer run times and fast recharging. And with no pull-cord, no need to run the tool in idle and no hot exhaust, switching to EGO ARC Lithium[™] power makes more sense than ever.

A unique Chain-Brake Safety System is a cutting-edge combination of mechanical and electronic technology reducing the risk of injury, stopping the tool's motor faster if kickback occurs.



BATTERY HOLSTER WITH INTEGRATED LANYARD

CSX3000/CSX3003 Commercial Top-Handle Chain Saw

Designed to deliver best-in-class power, torque, and chain speed for the professional arborist

	CSX3000/CSX3003
BAR LENGTH	12"
CHAIN SPECS	3/8" pitch / .043 gauge / 45 links
BATTERY CAPACITY (AH)	5.0 Ah
CHAIN SPEED	20m/s
WEATHER RESISTANCE	IPX4
TOTAL BATTERY ENERGY	280Wh
CUTTING CAPACITY	Up to 265 cuts (with 5.0Ah battery)
AUTO-TENSIONING	No
AUTOMATIC OILING	Yes
CHAIN KICKBACK BRAKE	Yes
WEIGHT	7.7 lbs
MOTOR TYPE	Brushless
BUCKING SPIKES	Metal
Battery status and Low Oil LED's	Yes





OUT POWERS GAS-POWERED BLOWERS

The LBX6000 delivers more blowing time, more comfort, and more power than gas.

With the ability to blow up to 600 CFM in Turbo mode, the leaves and competition don't stand a chance.



LBX6000

COMMERCIAL BACKPACK SERIES BLOWER

Designed to be used with the Commercial Backpack Battery BAX15D1, this powerful blower is light and easy to handle. Plus, the smooth brushless motor reduces vibration and noise compared to its gas-powered equivalents

	LBX6000				
CONSTANT SPEED	Yes				
RUN TIME [*] WITH BAX1501 BATTERY	Level 1	Level 2	Level 3	Level 4	Boost
	Up to 350 mins	Up to 210 mins	Up to 140 mins	Up to 100 mins	Up to 70 mins
AIR VOLUME	Max = 600 CFM				
AIR SPEED	130 MPH / 170 MPH (with tapered nozzle)				
FORCE (MAX)	20N				
SPEED SETTING	4 level settings and boost				
WEIGHT	5.9 lbs				
MOTOR TYPE	Brushless				
VIBRATION (M/S ²)	1.167				





EGO POWER+ COMMERCIAL SERIES TELESCOPIC POLE SYSTEM

The EGO POWER+ Commercial Power Pole with a telescopic shaft easily adjusts to your height for a comfortable fit all day long and extends to 13.2 feet for maximum reach. Take advantage of one or both interchangeable hedge trimmer or pole saw attachments.

The Commercial Pole Saw Attachment (PSX2500) is equipped with a 10-inch bar and chain and is designed to tackle the challenges of all-day professional use while offering precise pruning and limbing.

The Commercial 22-inch Pole Hedge Attachment (PTX5100) has double-sided, laser cut steel blades to ensure durability and longevity against the all day conditions met by professionals.

PSX2500 Commercial Pole Saw Attachment

The EGO POWER+ Commercial Pole Saw Attachment is designed to be used exclusively with the Commercial Telescopic Power Pole system.

PTX5100 Commercial Pole Hedge Attachment

The EGO POWER+ Commercial Pole Hedge Attachment is designed to be used exclusively with the Commercial Telescopic Power Pole system.

PPX1000 Commercial telescopic Power Pole

The telescopic shaft easily adjusts to your height for a comfortable fit all-day long and extends to 13.2ft for maximum reach. Use exclusively compatible wtih PSX2500 and PTX5100.

	PSX2500/PSX2504
MOTOR TYPE	Brushless
TELESCOPIC SHAFT	Yes
MAX POLE LENGTH	13.2 ft.
WEATHER RESISTANT	IPX4
WEIGHT (BARE TOOL)	12.5 lbs
BAR & CHAIN SIZE	10"
CHAIN SPECS	3/8" pitch / 0.043 gauge
CHAIN SPEED	22 m/s
AUTO-TENSIOING	No
AUTO-OILING	Yes
BUCKING SPIKES	Metal
CUTTING CAPACITY (4X4 WOOD)	230 cuts (with 5.0Ah battery)
WARRANTY	5 year res. / 2 year comm.

	PTX5100
MOTOR TYPE	Brushless
TELESCOPIC SHAFT	Yes
MAX POLE LENGTH	12.2 ft.
WEATHER RESISTANT	IPX4
WEIGHT (BARE TOOL)	12.8 lbs
TRIMMER CUTTING Length	20"
CUTTING CAPACITY	1"
SINGLE OR DUAL Action	Dual & double-sided
STROKES PER MIN	3,000
BLADE MATERIAL	Steel
LASER	Yes
ARTICULATING HEAD	Yes (6 positions)
HEAD ROTATION	90 degree
RUN TIME	2 hours (with 5.0Ah battery)
WARRANTY	5 year res. / 2 year comm.

*Run time may vary and depend on the battery used, charge level of the battery and user's operation technique.

.......



Your local dealer:

www.egopowerplus.com



All rights reserved. Neither this catalog nor its text, images, illustrations or part thereof, may be reproduced, stored in a retrieval system, photocopied, recorded or transmitted in any form, whether electronic or otherwise, without our consent. To the best of our knowledge, all descriptions, images and illustrations contained in this catalog are correct at the time of going to print. We cannot, however, be held liable for any inaccuracies of description, image or illustration and reserve the right to change specifications without notification.